

Applicant : Douglas R. Becker
Serial No. : 09/672,236
Filed : September 27, 2000
Page : 2 of 9

Attorney's Docket No.: 07844-451001 / P415

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of forming a trap polygon for trapping a color transition edge, where the trap polygon has an associated trap color determined by colors defining the color transition edge, the method comprising:
 - identifying an interfering edge which intersects a keep away zone defined by the color transition edge; and
 - forming a trap polygon for trapping the color transition edge including shaping the trap polygon to avoid overlapping a trap polygon corresponding to the interfering edge, wherein shaping the trap polygon includes
 - determining a miter equation that defines a line that is half a distance from the color transition edge and the interfering edge along a length of either edge;
 - determining movement equations for movement points, the movement points being points on the trap polygon that need to move due to the proximity of the interfering edge[[.]]; and
 - moving each movement point to an intersection of a movement equation and the miter equation.
2. (Currently Amended) The method of claim 1, where the trap polygon, the color transition edge, and interfering edge are vector-based representations.
3. (Original) The method of claim 1, where the keep away zone encloses the trap polygon.

Applicant : Douglas R. Becker
Serial No. : 09/672,236
Filed : September 27, 2000
Page : 3 of 9

Attorney's Docket No.: 07844-451001 / P415

4. (Original) The method of claim 1, where the keep away zone is within a tile, where the tile includes one or more tile edges and each potentially interfering edge is a tile edge which touches the keep away zone.

5. (Original) The method of claim 4, where an interfering edge has a paper color on one side.

6. (Original) The method of claim 4, where the color transition edge is defined by two points and defines a transition between a first color and a second color, and the first color is on a same side of the color transition edge as an interfering edge and the second color is on an opposite side of the color transition edge from the interfering edge, and where the interfering edge has a color on one side which would satisfy a trap condition with the first color.

7. (Original) The method of claim 4, where the color transition edge is defined by two points and defines a transition between a first color and a second color, and the first color is on a same side of the color transition edge as an interfering edge and the second color is on an opposite side of the color transition edge from the interfering edge, where the interfering edge has an interfering color on one side which would satisfy a trap condition with the second color, and the interfering color and the second color indicate a hypothetical trap color which is significantly different from the trap color.

8. (Original) The method of claim 7, where the hypothetical trap color differs from the trap color by more than a vignette color transition.

9. (Original) The method of claim 8, where the vignette color transition is approximately 5%.

10. (Original) The method of claim 8, where the trap color has one or more trap colorant planes and the hypothetical trap color has one or more hypothetical color planes, and any trap colorant plane which would not overprint differs from a corresponding hypothetical colorant plane by more than the vignette color transition,

Applicant : Douglas R. Becker
Serial No. : 09/672,236
Filed : September 27, 2000
Page : 4 of 9

Attorney's Docket No.: 07844-451001 / P415

where a colorant plane which would overprint would not be printed when printing an object having a color including that colorant plane.

11. (Original) The method of claim 1, where forming the trap polygon includes:

shaping one or more edges of the trap polygon so that the trap polygon abuts without overlapping any abutting trap polygon based upon an interfering edge which intersects the color transition edge, and so that the trap polygon does not overlap any object edge which is within the keep away zone but does not intersect the color transition edge or any close trap polygon based upon an interfering edge which is within the keep away zone but does not intersect the color transition edge.

12. (Original) The method of claim 1, where trimming the trap polygon includes:

adjusting the trap polygon to avoid one or more interfering edges by adding trimming points to the trap polygon for points on any interfering edges which are in or on the trap polygon; and

removing points from the trap polygon which are outside the trimming points.

13. (Original) The method of claim 1, where the trap polygon is defined by a plurality of points which are of one or more types, and wherein shaping the trap polygon includes moving one or more points of the trap polygon according to the type of the point.

14. (Currently Amended) The method of claim 1, wherein the miter equation defines a line that splits a distance between the color transition edge and the interfering edge.

15. (Currently Amended) The method of claim 1, wherein if the color transition edge and the interfering edge are parallel and share an end point, the step of determining a miter line includes locating the miter line as a line that is perpendicular to the color transition edge and including the end point.

Applicant : Douglas R. Becker
Serial No. : 09/672,236
Filed : September 27, 2000
Page : 5 of 9

Attorney's Docket No.: 07844-451001 / P415

16. (Currently Amended) The method of claim 1, wherein if the color transition edge and the interfering edge are parallel and have end points that are within a predetermined distance, the step of determining a miter line includes locating the miter line as a line that is perpendicular to the color transition edge and includes one of the end points.

17. (Currently Amended) The method of claim 16, wherein the predetermined distance is half a pixel.

18. (Currently Amended) The method of claim 1, wherein the movement equations have a direction and a length that is at least half a distance from the color transition edge to the interfering edge.

19. (Currently Amended) The method of claim 1, wherein the step of determining movement equations includes;

in a first coordinate space, determining if a point is between the end points that define the color transition edge,

if so, locating a movement equation that passes through the point and is perpendicular to the color transition edge.

20. (Currently Amended) The method of claim 19, wherein if the point is outside the end points, locating a movement equation that passes through the point and a closest end point on the color transition edge.

21. (Currently Amended) The method of claim 1, wherein the movement equations are movement vectors that have a direction and a length.

22. (Currently Amended) The method of claim 21, wherein the movement vectors length is at least half a distance between the color transition edge and the interfering edge along the entire length of both edges.

Applicant : Douglas R. Becker
Serial No. : 09/672,236
Filed : September 27, 2000
Page : 6 of 9

Attorney's Docket No.: 07844-451001 / P415

23. (Currently Amended) A method of adjusting a trap polygon for trapping an edge in view of an identified interfering edge, the method comprising the steps of:

determining a miter equation that is half a distance from the color transition edge and the interfering edge along the length of either edge;

determining movement equations for movement points, the movement points being points on the trap polygon that need to move due to the proximity of the interfering edge[.]; and

moving each movement point to an intersection of a movement equation and the miter equation.

24. (Currently Amended) ~~A method of forming a trap polygon for trapping a color transition edge, the method comprising:~~

sequentially forming trap polygons for color transition edges in a sequence of color transition edges in a digital document, each trap polygon in sequence having its final form before any subsequent polygon is formed, wherein the trap polygons are non-overlapping, and wherein forming the trap polygon for each given color transition edge in the sequence comprises:

identifying as an interfering edge each color transition edge which intersects a keep away zone defined by the given color transition edge;

for each interfering edge calculating a line on which traps from the given color transition edge and the interfering edge would optimally abut one another; and

shaping thea trap polygon using theeach line, such that when the trap polygon corresponding to the interfering edge is subsequently formed, the trap polygon associated withfor the given color transition edge does not have to be reshapedintersect any of the lines.

25. (Currently Amended) A computer program for forming a trap polygon for trapping a color transition edge, where the trap polygon has an associated trap color determined by colors defining the color transition edge, the computer program tangibly stored on a medium, including instructions operable to cause a computer to:

identify an interfering edge which intersects a keep away zone defined by the color transition edge; and

Applicant : Douglas R. Becker
Serial No. : 09/672,236
Filed : September 27, 2000
Page : 7 of 9

Attorney's Docket No.: 07844-451001 / P415

form a trap polygon for trapping the color transition edge including shaping the trap polygon to avoid overlapping a trap polygon corresponding to the interfering edge, wherein shaping the trap polygon includes

determining a miter equation that defines a line that is half a distance from the color transition edge and the interfering edge along a length of either edge;

determining movement equations for movement points, the movement points being points on the trap polygon that need to move due to the proximity of the interfering edge[.]; and

moving each movement point to an intersection of a movement equation and the miter equation.

26. (Currently Amended) ~~A computer program for forming a trap polygon for trapping a color transition edge, the computer program tangibly stored on a medium, including instructions operable to cause a computer to:~~

sequentially form trap polygons for color transition edges in a sequence of color transition edges in a digital document, each trap polygon in sequence having its final form before any subsequent polygon is formed, wherein the trap polygons are non-overlapping, and wherein instructions to form the trap polygon for each given color transition edge in the sequence include instructions to:

identify as an interfering edge each color transition edge which intersects a keep away zone defined by the given color transition edge;

for each interfering edge, calculate a line on which traps from the given color transition edge and the interfering edge would optimally abut one another; and

shape thea trap polygon using theeach line, such that when the trap polygon corresponding to the interfering edge is subsequently formed, the trap polygon associated withfor the given color transition edge does not have to be reshapedintersect any of the lines.